

**Kristen Panella <kpanella@nyit.edu>**

**07/17/2009 12:05 PM**

T  
o

Vickie  
Pane/R2/  
USEPA/  
US@EPA

c  
c

Chester  
Norman/  
R2/USEP  
A/US@E  
PA

S  
u  
b  
j  
e  
c  
t

RE:  
NYIT  
PCB  
Inspection  
at Old  
Westbury  
Campus

Thank you for your guidance I will continue with the annual logs for our Central Islip Campus as you have instructed. I am working on obtaining a copy of the documentation regarding the reclassification of the two pyranol transformers in Schure Hall. This is a little tricky because a lot of our old files are in storage. I have already made a request to have the files shipped back to my office. I will need a little time to track them down and get them to you. I will keep you updated with my progress.

-Kristen

-----Original Message-----

From: Pane.Vickie@epamail.epa.gov [mailto:Pane.Vickie@epamail.epa.gov]

Sent: Friday, July 17, 2009 12:00 PM

To: Kristen Panella

Subject: Re: NYIT PCB Inspection at Old Westbury Campus

Good afternoon Mr. Panella,

I tried to send this to you before, but I think it went out without my signature somehow. Therefore, I am resending it with my apologies if it comes to you twice.

It was good to see you again the other day. I hope that you found our brief discussion regarding the minor additions to your annual documents for the Central Islip site to be helpful.

Briefly, you do not need to reference when the transformers were registered or the quarterly inspections on you annual documents, but there should be a statement addressing other PCB equipment at your facility and a statement that references your PCB equipment inventory at the beginning of the year and at the end of the year, even if you have no additional equipment.

Thank you for providing us with copies of your October 19, 2005 letter and laboratory report regarding the two registered transformers. At the time of our inspection, we also requested a copy of the documentation regarding the reclassification of the two pyranol transformers in Schure Hall.

Please let me know if I can provide any additional assistance, and thank you very much for your continued cooperation.

Sincerely yours,

Vickie L. Pane

United States Environmental Protection Agency DECA-PTSB-Toxic Substances (MS-105) 2890 Woodbridge Avenue Edison, New Jersey 08837

732-321-6798

732-321-6788 Fax#

pane.vickie@epa.gov

(Embedded image moved to file: pic07450.gif)